


MAGNETON

STARTER MOTOR

9187 824

IMPORTANT DIMENSIONS TO FIT ON ENGINE



COUNTERCLOCKWISE ROTATION

TECHNICAL DATA

Nominal voltage
Rated output
Rated speed

24V
5,8kW
1 500min⁻¹

Pinion teeth number
Module
Pressure angle
Weight

11
3,0
15°
25kg

APPLICATIONS

1. TATRA 815

CROSS REFERENCES

TATRA


443 115 020 000

Použití spouštěče 9187 824

Applications of starter motor 9187 824

Strana 2 / 3
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
TATRA	815	T3-929-XX	210			
TATRA	815	T3-930-XX	235			
TATRA	815	T3-930-SX	275			
TATRA	815	T3-928-XX	170			



Náhradní díly spouštěče 9187 824

Spare parts of starter motor 9187 824

Strana 3 / 3
Page

1.0 Víko břemenové sestavené		Cat. No.	0158840
Front bracket assy			
2.0 Pastorek		Cat. No.	7150130
Pinion			
3.0 Pastorek se spojkou		Cat. No.	0159730
Pinion with clutch			
4.0 Rotor sestavený		Cat. No.	7150290
Armature assy			
5.0 Stator sestavený		Cat. No.	0159190
Stator assy			
6.0 Tlačné zařízení		Cat. No.	8470380
Pushing mechanism			
7.0 Kartáč		Cat. No.	344112024
Brush			
8.0 Komutátorové víko sest.		Cat. No.	8004880
Commutator cover assy			
9.0 Spínač sestavený		Cat. No.	8012150
Contactoressy			
10.0 Odpor sestavený		Cat. No.	8412460
Resistor assy			
11.0 Kryt		Cat. No.	1820100
Cover			