


MAGNETON

ALTERNATOR 9515 251

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
55A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 100min⁻¹
5,1kg

APPLICATIONS

1. IMR
2. IMT

CROSS REFERENCES

ELMOT

A133-55j

Použití alternátoru 9515 251

Applications of alternator 9515 251

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
IMR	R47	M33; M33T	32		2 500	
IMR	R55	TDM33/T	32		2 500	
IMR	R65	DM34	47		3 300	
IMR	R65 Super	DM34	47		3 300	
IMR	R76	DM34	47		3 300	
IMR	R76DV Super	DM34	47		3 300	
IMT	528	DM32	17,6		1 600	
IMT	531	M33	32		2 500	
IMT	532	M33	32		2 500	
IMT	534	M33	32		2 500	
IMT	536	M33	32		2 500	
IMT	539	M33	32		2 500	
IMT	541	M33	32		2 500	
IMT	542	M33	32		2 500	
IMT	549	DM33	32		2 500	
IMT	560	DM34	47		3 300	
IMT	562	M34	47		3 300	
IMT	565	DM34	47		3 300	
IMT	567	DM34	47		3 300	
IMT	569	DM34	47		3 300	
IMT	542DVE	M34	47		3 300	
IMT	542E	M33	32		2 500	
IMT	545E	DM33	32		2 500	
IMT	549DV	DM33	32		2 500	
IMT	549DVE	DM33	32		2 500	
IMT	560DV	M34	47		3 300	
IMT	560DVE	M34	47		3 300	
IMT	560E	DM34	47		3 300	
IMT	565DV	DM34	47		3 300	
IMT	565DVE	DM34	47		3 300	
IMT	565E	DM34	47		3 300	
IMT	567DVE	DM34	47		3 300	
IMT	569DV	DM34	47		3 300	
IMT	569DVE	DM34	47		3 300	

Náhradní díly alternátoru 9515 251

Spare parts of alternator 9515 251

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0135581
2.0 Rotor sestavený Rotor assy		Cat. No. 0138371
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0142691
4.0 Usměrňovací blok Rectifier		Cat. No. 0135241
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143411
6.0 Stator sestavený Stator assy		Cat. No. 0133791
7.0 Řemenice Pulley		Cat. No. 6021801
8.0 Ventilátor Fan		Cat. No. 5233457

Poznámka Note

1. Víko přední sestavené je dodáváno včetně předního ložiska.
Front cover assembly is supplied with front bearing.
2. Rotor sestavený je dodáván včetně zadního ložiska.
Rotor assembly is supplied with rear bearing.
3. Víko zadní sestavené je dodáváno včetně usměrňovače.
Rear cover assembly is supplied with the rectifier.

